



Pace Analytical Services, LLC-Fairfield

1275 Bloomfield Avenue, Fairfield, NJ 07004 (973) 227-0422

Client: Windsor Schools
234 Wanaque Ave
Pompton Lakes, NJ 07442

Order ID Number: 25E0033

Collected : 04/30/2025 7:30

Received: 05/01/2025

Contact:
Client Project: Windsor Schools

Report Date: 05/21/2025 10:41
Customer Service Rep: Tony Tudda

Analytical Results Summary


Sample Number Analyte	Method	Prepared	Analyzed	Result	Qual	MDL	RL	Units
25E0033-01	Drinking Water	Rear Ent. Ftn						
Total Metals								
Lead	EPA 200.8	5/14/25 18:23	5/14/25 18:23	< 0.00200	U		0.00200	mg/L
25E0033-02	Drinking Water	2nd Fl. Ftn Near Elevator						
Total Metals								
Lead	EPA 200.8	5/14/25 18:27	5/14/25 18:27	< 0.00200	U		0.00200	mg/L
25E0033-03	Drinking Water	Nurse Office Hall Ftn						
Total Metals								
Lead	EPA 200.8	5/14/25 18:32	5/14/25 18:32	< 0.00200	U		0.00200	mg/L
25E0033-04	Drinking Water	Social Hall Ftn						
Total Metals								
Lead	EPA 200.8	5/15/25 8:29	5/15/25 8:29	< 0.00200	U		0.00200	mg/L
25E0033-05	Drinking Water	Low Level Hall Ftn by Boys Bathroom						
Total Metals								
Lead	EPA 200.8	5/14/25 18:42	5/14/25 18:42	< 0.00200	U		0.00200	mg/L

FootNotes

RL - Reporting limit
MDL - Minimum detection limit
ND, U - Indicates compound analyzed for but not detected
J - Indicates estimated value

B - Indicates compound found in associated blank
E - Concentration exceeds highest calibration standard
D - Indicates result is based on a dilution
P - Greater than 25% diff. between 2 GC columns
H - Indicates a Hold Time violation
D1 - Sample was Decanted (Dissolved)

Sudip Pradhan
Laboratory Director



Pace® Location Requested (City/State):

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: **WINDSOR SCHOOL**
Street Address: **234 WANAPROE AVE**
Customer Project #: **20040101 LAKE 5, NJ 07442**

Contact/Report To: **Ed Zucchin**
Phone #: **973-339-493**
E-Mail:
Cc E-Mail:

Project Name:

Site Collection Info/Facility ID (as applicable):

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
Data Deliverables:
[] Level I [] Level III [] Level IV
[] EQUIS

Regulatory Program (DW, RCRA, etc.) as applicable: Reportable [] Yes [] No
Rush (Pre-approval required):
[] 1 Same Day [] 2 Day [] 3 Day [] Other

Data Results Requested:
[] Other
* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start		Collected or Composite End		# Cont.	Res. Chlorine	
			Date	Time	Date	Time		Results	Units
0033 Rear Ent. Ftn	DW	IS	4/30	730					
Al 2nd Fl. Ftn. Near Elevator				732					
Nurse Office Hall Ftn				734					
Social Hall Ftn				738					
Lower Level Hall Ftn by Boys Bathroom				742					

Additional Instructions from Pace®:

Collected By:
(Printed Name)
Signature:

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Relinquished by/Company: (Signature)

Date/Time:

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Received by/Company: (Signature)

Coolers:

Thermometer ID:

Obs. Temp. (°C)

Corrected Temp. (°C)

On Ice

Trading Number:

Delivered by: [] In-Person [] Courier

[] FedEx [] UPS [] Other

Page: of

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

ENV-FRM-CORQ-0019_v02_110123 ©

25E0033



Sample Condition Upon Receipt Form (SCUR)

Affix Sample Label Here

Date and Initials of person:

Examining contents: h

Label: h

Deliver to location: h

pH: h

Thermometer Used: 711ms

Date: 9/1/05

Time: 1014

Initials: h

State of Origin: NY

Cooler #1 Temp: CIS.0 (Visual) 0 (Correction Factor) 15.0 (Actual)

☐ Samples on Ice, cooling process has begun

Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Commercial ☐ Pace

☐ Other

Shipping Method: ☐ First Overnight ☐ Priority Overnight ☐ Standard Overnight ☐ Ground

☐ Other

Tracking #

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

Seals intact: ☐ Yes ☐ No

Ice: Wet Blue Melted None

Packing Material: ☐ Bubble Wrap ☐ Bubble Bags ☒ None

☐ Other

Samples were collected by Pace employee

☐ Yes

☒ No

☐ N/A

Comments:

Chain of Custody Present	☒ Yes ☐ No ☐ N/A	
Chain of Custody Filled Out	☒ Yes ☐ No ☐ N/A	
Relinquished Signature on COC	☒ Yes ☐ No ☐ N/A	
Sampler Name and Signature on COC	☐ Yes ☒ No ☐ N/A	
Samples Arrived within Hold Time	☒ Yes ☐ No ☐ N/A	
Rush TAT requested on COC	☐ Yes ☒ No ☐ N/A	
Sufficient Volume	☒ Yes ☐ No ☐ N/A	
Correct Containers Used	☒ Yes ☐ No ☐ N/A	
Containers Intact	☒ Yes ☐ No ☐ N/A	
Sample Labels match COC (sample IDs & date/time of collection)	☐ Yes ☐ No ☐ N/A	
All containers needing acid/base preservation have been checked.	☒ Yes ☐ No ☐ N/A	Preservation Information:
All Containers needing preservation are found to be in compliance with EPA recommendation:	☒ Yes ☐ No ☐ N/A	Preservative: _____
Exceptions: Vials, Microbiology, O&G, Metals		Lot #/Trace #: _____
		Date: _____ Time: _____
		Initials: _____
Headspace in VOA Vials? (>6mm):	☐ Yes ☐ No ☒ N/A	
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	

Additional Login Comments:

226823

Client notification/ Resolution

Person Contacted:

Date/Time:

Comments/Resolution: